

Product Description

EkoPaper Printable is a premium direct printable tape with FSC™-certified paper backing designed for seamless, high-quality printing directly on flexographic printing machines. It enables a superior, one-step printing process without the need for corona treatment, primer, or release coating.



PRODUCT HIGHLIGHTS

- Special flame treated film ensures greater bonding between adhesive & film. No adhesive transfer decay over time.
- Superior ink bonding for high-definition print quality & compatibility with a wide range of inks, enabling vibrant and long-lasting designs.
- Cost-effective & eco-friendly solution with water-based acrylic adhesive, ensuring low VOC emissions for sustainable packaging.
- High resistance to temperature, aging, and yellowing, maintaining quality and appearance over time.
- Available in multiple roll lengths up to 2000 meters, reducing changeovers & machine downtime for efficient operations.

STANDARD PUT-UPS

Backing:	FSC™-certified Paper
Adhesive:	Water-based Acrylic
Colors:	White, Brown, Clear, Red
Widths Available:	144, 150, 288, 300mm
Maximum Roll OD:	Upto 400mm
Length Available:	Upto 2000m

Option to use ShearBond® (specially modified high-shear acrylic adhesive) as well.

TECHNICAL SPECIFICATIONS

Physical Properties		Value
Total Thickness	D-3652	85gsm
Paper Grammage		57gsm
Glue Thickness		28gsm
Adhesion To Steel (gms/25mm)	D-3330	700
Shear Strength (mins)	A-5012	120
Elongation (%)	D-3759	6

ADDITIONAL INFORMATION

SHELF LIFE: The standard shelf life is 12 months from the date of manufacture. However, this depends on several factors such as storage conditions, handling etc.

DISPOSAL: Preferred options for disposal are: (1) recycling, SPI Code 7; (2) incineration with energy recovery; and (3) land fill.

STORAGE: Storage below 32°C (90°F) is recommended.

DISCLAIMER: The technical data contained herein are guides to the use of Bagla® products. Bagla Group makes no guarantees of results and assumes no obligations or liability in connection with its advice.