


Product Catalog

OUR PRODUCT RANGE



POF SHRINK FILMS

GENERAL POF SHRINK FILMS

BX-Ultra[®]



Cross Linked POF Shrink Film

Thickness: 40, 45, 60, 75, 100, 120, 150 Gauge (10, 11, 15, 19, 25, 30, 38 µm) 3" to 50" in 0.5" increments

Width:

(Single Wound)

Printed, tinted, hot perforated options available.





Non-Cross Linked POF Shrink Film

Thickness: 50, 60, 75, 100, 120 Gauge (12, 15, 19, 20, 30 µm)

3" to 50" in 0.5" increments Width: (Single Wound)

Printed, tinted, hot perforated options available.

SPECIAL POF SHRINK FILMS

BX-UltraFresh

Antifog POF Shrink Film



Available: Cross Linked Technology Thickness: 45, 60, 75 Gauge

(11, 15, 19 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound)

Printed, tinted, hot perforated options available.

BX-Opaque

Opaque POF Shrink Film

Available: Cross Linked & Non-Cross Linked Technology

Thickness: 100, 150 Gauge (25, 37 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound) Printed, hot perforated options available.

BX-UltraSof

Low Energy POF Shrink Film

Available: Cross Linked & Non-Cross Linked Technology.

Thickness: 40, 45, 60, 75 Gauge (10, 11, 15, 19 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound)

Printed, tinted, hot perforated options available.



Available: Cross Linked & Non-Cross Linked Technology.

Thickness: 40, 45, 60, 75, 100, 120, 150 Gauge (10, 11, 15, 19, 20, 30, 38 Micron)

3" to 50" in 0.5" increments Width:

(Single Wound) Printed, tinted, hot perforated options available.



POF SHRINK FILMS



Tinted POF Shrink Film



Available: Cross Linked & Non-Cross Linked Technology.

Thickness: 200, 300 Gauge (50, 75 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound)

Printed, tinted, hot perforated options available.

BX-Tough[®]

Heavy Gauge POF Shrink Film

- Available: Cross Linked & Non-Cross Linked Technology.
- Thickness: 200, 300 Gauge (50, 75 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound) Printed, tinted, hot perforated

options available.

SUSTAINABLE CHOICES



Recycled POF Shrink Film

Available: Cross Linked & Non-Cross Linked Technology.

Thickness: 40, 45, 60,75,100, 120, 150 Gauge (10, 11, 15, 19, 20, 30, 38 Micron)

Width:

: 3" to 50" in 0.5" increments (Single Wound)

Printed, tinted, hot perforated options available.



BX-Bio®



Biodegradable POF Shrink Film

- Available: Cross Linked & Non-Cross Linked Technology.
- Thickness: 50, 60, 75, 100 Gauge (12, 15, 19, 25 Micron)

Width: 3" to 50" in 0.5" increments (Single Wound)

Printed, tinted, hot perforated options available.

© 2025 Bagla Group. All rights reserved. This document is Bagla Group Public Information.



BX-Printed

Printed POF Shrink Film

Δ	vailable:	Cross Linked & Non-Cross Linked Technology.
Т		40, 45, 60,75,100, 120, 150 Gauge (10, 11, 15, 19, 20, 30, 38 Micron)
v v	Vidth:	3" to 50" in 0.5" increments (Single Wound)
	inted, hot vailable.	perforated options

TEAR TAPES


EzeeTear[®]



Standard Cigarette Tear Tape

Backing: MOPP Adhesive: Water-based Acrylic Thickness: 23, 26 and 40 µm 1.5mm to 4mm Width: 5,000m to 120,000m Length:

EzeeTear[®]





EzeeRip[®]

Backing: Width: Length:

HTPP Adhesive: Water-based Acrylic Thickness: 23, 26 and 40 µm 1.5mm to 4mm 5,000m to 120,000m

EzeeTear[®]

Holographic Cigarette Tear Tape

Backing: MOPP Adhesive: Water-based Acrylic Thickness: 23, 26 and 40 µm Width: 1.5mm to 4mm Length: 5,000m to 120,000m



Standard Carton Tear Tape

Backing:	MOPP
Adhesive:	Water-based Acrylic
Thickness:	40, 50, 60, 75, 90, 125 µm
Width:	3mm to 25mm
Length:	5,000m to 120,000m



Backing: HTPP Adhesive: Water-based Acrylic Thickness: 60 µm 3mm to 25mm Width: Length: Upto 40km





Carton Tear Tape for Enhanced Box Strength

Backing: MOPP Adhesive: Water-based Acrylic **Thickness:** 40, 50, 60, 75, 90, 125 µm Width: 1.5mm to 4mm Length: 5,000m to 120,000m

SUSTAINABLE CHOICES

EkoTear°



Cigarette Tear Tape with PCR Content

Backing: rPET Adhesive: Water-based Acrylic Thickness: 23µm Width: 1.5mm to 4mm Length: 5,000m to 120,000m





Paper-Based Recyclable Carton Tear Tape

Backing:	Certified-FSC [™] Paper
Adhesive:	Synthetic Rubber
Thickness:	120, 150 g/m2
Width:	3mm to 25mm
Length:	5,000m to 120,000m

Dacia | Let's innovate Packaging!

INDUSTRIAL TAPES

Filament Tapes



High-strength tapes reinforced with fiberglass filaments for heavy-duty bundling and packaging.

Applications:

- Box reinforcement
- Pallet securing
- Appliance packaging.

Secure STRAP



Strong, pressure-sensitive tapes used for securing loads and bundling materials.

Applications:

- ns: Colors:
- Carton sealing
 - Bundling pipes
- Securing pallets



Duct Tapes



Versatile, cloth-backed, and waterproof tapes for generalpurpose repairs and sealing.

Applications:

- HVAC duct sealing
- Temporary repairs
- Bundling

Aluminum Foil Tapes



Heat-resistant tapes with strong adhesion for insulation and sealing applications.

Applications:

- HVAC ductwork sealing
- Thermal insulation
- EMI/RFI shielding.

Masking Tapes



Easy-to-remove, paper-backed tapes for painting and surface protection.

Applications:

- Painting
- Surface masking
- Light bundling

Double-Sided Tapes



Adhesive on both sides for mounting, bonding, and fastening applications.

Applications:

- Carpet installation
- Signage mounting
- Industrial bonding.



PACKAGING TAPES

BOPP TAPES -

BOPP Acrylic Tapes



Clear or brown tapes with acrylic adhesive for long-term sealing and durability.

Applications:

- Carton sealing
- General packaging
- Lightweight bundling

BOPP Hotmelt Tapes



High-tack tapes with hotmelt adhesive for strong, quick bonding.

Applications:

- High-speed carton sealing
- E-commerce packaging
- Logistics

BOPP Solvent Tapes



Heavy-duty tapes with solvent-based adhesive for extreme conditions.

Applications:

- Export packaging
- Humid/cold storage sealing
- Heavy-duty cartons

FLEXO PRINTABLE TAPES

Ezee Print[®]



Directly Printable Acrylic (DPA) tape designed for seamless, high-quality printing directly on flexographic printing machines. It enables a superior, one-step printing process without the need for corona treatment, primer, or release coating.

Coro Print®



Printable acrylic tape designed for printers using corona treatment before flexographic printing. Its flame-treated film strengthens the bond between adhesive & film, preventing adhesive transfer to the opposite side. Also, there is no adhesive decay over time resulting in high-guality print every time.



PACKAGING TAPES

PAPER PACKAGING TAPES -



EkoPaper[®]



Eco-friendly and FSC certified semi-creme paper tape with strong adhesion for sustainable packaging.

Applications:

- Carton sealing
- Eco-friendly packaging
- Light bundling

Kraft Paper Tapes



Eco-friendly, strong adhesive tape made from kraft paper for sustainable and secure packaging

Applications:

- Carton sealing
- Eco-friendly packaging
- Bundling lightweight items

Reinforced



A heavy-duty kraft tape with fiberglass reinforcement and water-activated adhesive for tamper-proof sealing.

Applications:

- Securing heavy cartons
- Export packaging
- E-commerce shipments

Non-reinforced Water Activated Tapes




Appropriate for light-duty shipping, non-reinforced water activated tape rips easily and is highly sustainable option.

Applications:

- Lightweight carton sealing
- Sustainable packaging
- Branding with custom prints

RECYCLED PET TAPES





Recycled PET Tapes Made from 90% post-consumer recycled (PCR) content, EkoPET is designed to provide the strength and durability of traditional PET tape, along with promoting the concept of circular economy.





WE HAVE EXTENDED OUR PRODUCT PORTFOLIO

NOW OFFERING BARRIER FILMS ALSO









Bagla Group is a leading manufacturer and exporter of Packaging Tapes, Tear Tapes, POF Shrink Films, and various other packaging products.

With over **37 years of experience**, we have supplied products worth more than **400 Million USD** to over 2,000 customers in 60+ countries across 6 continents. Our 7 state-of-the-art factories and 16+ sales offices across the globe allow us to provide more than 500 SKUs in over 50 product categories. Headquartered in India, we are a global enterprise with a widespread presence and a workforce exceeding **1000 individuals**, dedicated to providing **high-quality** packaging solutions worldwide.

BETTER FOR YOU, BETTER FOR PLANET

Post-Consumer Plastic Waste Collected (in tons)

CO2 -eq emission saved (in tons)

Virgin plastic replaced (in tons)

No. of Trees

97,500

54,600 78,000

Saved

84,500

Order our **free samples** and discover their quality by yourself



USA • Canada • Germany • UK • Australia • Spain • Brazil • Argentina • Egypt • Poland • South Africa



P-2/6, Safdarjung Enclave, New Delhi, Delhi 110029, INDIA

(+91) 844-844-0430



